

EXCEPTIONALLY DURABLE SIDING



LP® SmartSide® Trim & Siding
Product Guide & Specifications

2026

[LPCorp.com](https://www.LPCorp.com)

LP SmartSide®
TRIM & SIDING



LP® SmartSide® ExpertFinish® Lap, Panel & Trim (Board & Batten Style) in Snowscape White; Shake Lap, Trim, and Soffit in Abyss Black

Photo by Nuvo360



All photos are for illustrative purposes only. Please refer regularly to LPCorp.com for correct and up-to-date product installation instructions.

A REPUTATION OF PERFORMANCE.

Throughout the last 25 years, the LP® SmartSide® brand has earned a reputation as one of the highest-performing and most preferred trim and siding brands on the market due to its Advanced Durability for Longer Lasting Beauty®.



LP® SmartSide® ExpertFinish® Lap in Quarry Gray, Vertical Siding and Trim in Quarry Gray, and Trim & Fascia in Snowscape White

DURABILITY

LP® SmartSide® products help deliver superior resistance against:

- Moisture intrusion from many weather conditions
- Impacts from hail
- Damage from freeze/thaw cycles
- Damage from termites
- Damage from fungal decay



See p. 9 for additional warranty info.

Refer to limited warranty at LPCorp.com/literature for complete details, including important limitations and exclusions.

Image edited for dramatization



DURABLE SIDING. SMART TECHNOLOGY.

The exceptional durability of LP® SmartSide® Trim & Siding is built on engineered wood strand technology and LP's proprietary SmartGuard® manufacturing process.

Made using precisely-sized, shaped, and layered wood strands from responsibly-sourced logs, every LP SmartSide product is treated to the core with an advanced formula of adhesive resins, water-resistant waxes, and zinc borate. Then, a water-resistant, resin-saturated overlay is permanently bonded to the product.

Our SmartGuard process takes durability to the next level, arming LP SmartSide products to help protect the beauty and integrity of your home's exterior.

Learn more about the impressive resiliency of LP SmartSide Trim & Siding at LPCorp.com

RESISTS FORCES OF NATURE




Resists Impacts from Hail

Results of third-party testing commissioned by LP demonstrate that LP® SmartSide® cedar texture lap siding resists hail damage better than fiber cement siding and vinyl siding. In fact, the LP SmartSide limited warranty covers impacts from hail up to 1.75" in diameter.



Stays Put in High Winds

LP SmartSide Lap Siding is designed to withstand tough storms with wind gusts of up to 200 miles per hour. Refer to ESR-1301 or PR-N124.



Resists Cracking from Heat and Sun Exposure

Thanks to industrial-grade binders and resins and a durable primed overlay, LP SmartSide siding has been shown to remain strong when well maintained, even after prolonged exposure to intense sunlight.



Resists Damage Through Freeze-Thaw Cycles

Many substrates delaminate when water is absorbed, then freezes and expands. LP SmartSide products, made with the SmartGuard® process, resist water and therefore are less subject to freeze-thaw cycle damage.



Resists Fungal Decay

LP has conducted testing since 1996 on LP SmartSide Trim & Siding near Hilo, Hawaii. The climate's high average temperature, high levels of humidity, and heavy annual rainfall make it a perfect breeding ground for termites, moisture, and fungal decay. Yet, our exterior exposure testing continues to validate that LP SmartSide siding performs over time.



Resists Termite Damage

To put LP SmartSide products to the test, we exposed samples to Formosan termites, widely recognized as one of the world's most destructive pests. Each sample was placed on a grid, surrounded by untreated bait samples, then laid directly on top of termite colonies. The bait samples were damaged within three months – but even after a number of years, the LP SmartSide siding exhibited no structural damage.

EFFICIENCY



ENGINEERED FOR FAST & EASY BUILDS

LP® SmartSide® products help you build fast and efficiently. From light weights to long lengths to advanced durability, they're designed to help boost productivity, so you can complete more builds quickly.



ENJOY THE BENEFITS, AVOID THE FUSS

- Easy to carry and install due to lighter weight and flexibility
- Resists breakage, helping minimize material waste and installation delays
- Lap and trim are available in longer lengths, which may reduce cuts and seams

SUSTAINABILITY

**The way we build today
matters for tomorrow.**

LP® SmartSide® Trim & Siding is an inherently sustainable, carbon-negative solution that can help you reduce the environmental impact of your builds, meet code, and qualify for green building programs.



LP® SmartSide® ExpertFinish® Panel and Trim in Abyss Black

OPTIONS

Whatever your project or style, the LP® SmartSide® Trim & Siding portfolio offers the versatility you need to achieve stunning results.

- Offerings include lap, trim, panel, vertical siding, soffit, shake, and accessory products that work together beautifully
- Many products are available in two options — cedar texture and brushed smooth
- Choose from primed products or prefinished offerings within our LP® SmartSide® ExpertFinish® color collection
- Can be utilized for new home construction, remodels, multifamily projects, or sheds and outdoor buildings

THE LP® SMARTSIDE® TRIM & SIDING PORTFOLIO



LAP SIDING



TRIM & FASCIA



SOFFIT



NICKEL GAP SIDING



SHAKE LAP SIDING



J-BLOCK



JUMBO
BLOCK



MINI-SPLIT



OUTSIDE CORNER



PANEL & VERTICAL SIDING



Take a closer look at our complete suite of solutions on p. 24.



SmartSide®
TRIM & SIDING

LP® SmartSide® PRIMED TRIM & SIDING



LP® SmartSide® Primed Lap Siding



LP® SmartSide®
5/50 YEAR
PRORATED
LIMITED
WARRANTY


LP® SmartSide® Primed Lap

PRIMED AND READY TO PAINT

The complete LP® SmartSide® Trim & Siding product portfolio is available primed (unpainted) and ready to paint any color — giving you the flexibility to create the look you want. Our primed products offer exceptional paint adhesion and can be repainted over time.



Cedar Texture



Brushed Smooth

LP® SmartSide® ExpertFinish®

PREFINISHED TRIM & SIDING



LP® SmartSide® ExpertFinish® Lap in Sand Dunes



LP® SmartSide® ExpertFinish® Panel and Trim in Sand Dunes



BUILT ON SMART TECHNOLOGY. FINISHED WITH LASTING COLOR.

- Delivers the same advanced durability as LP® SmartSide® primed (unpainted) products
- Factory-finished with high-grade acrylic exterior paint specifically engineered for use with LP SmartSide primers
- Optimal coating conditions help provide uniform color application and exceptional consistency
- Eliminates the need for most field painting, helping save time, labor, and materials
- LP® SmartSide® ExpertFinish® lap joint siding features a proprietary joint that eliminates the need for caulk, joint molds, or pan flashing at butt joints
- Options include cedar texture and brushed smooth

Inspired by Nature



LP® SmartSide® ExpertFinish® NATURALS COLLECTION™ Cedar Texture Lap in Saffron Cedar



**Like natural wood,
but better.**



LP® SmartSide® ExpertFinish® NATURALS COLLECTION™ Nickel Gap Siding in Bonsai Black (wall and ceiling), Lap in Quarry Gray, and Trim in Midnight Shadow

DESIGN

Choose your style.
Choose your color.
Get the look you want.

Visualize different
looks and get
inspired!



DISCOVER THE BEAUTY OF LP® SMARTSIDE® TRIM & SIDING.

Whether you're going for modern, traditional, bold, or subdued, the LP® SmartSide® Trim & Siding portfolio features versatile products that can be mixed and matched to complement any style.

- Choose from primed (unpainted) or LP® SmartSide® ExpertFinish® prefinished products
- Texture options include cedar and brushed smooth
- Can be used as a full-home solution, or as a complement to other claddings, such as brick, stone, and stucco

Try our LP SmartSide Home Visualizer!

- Choose a home from our sample gallery and experiment with products and colors
- Upload a photo of your project and use our AI technology to instantly see how LP SmartSide products will look
- For the most realistic outcome, send us a photo of your project, and we'll help prepare it for use in the visualizer tool (for a small fee)



Scan to use our Home Visualizer
tool for your next project

HomeVisualizer.LPCorp.com

YOUR COMPLETE SIDING SOLUTION



VENTED SOFFIT
Snowscape White



PANEL & VERTICAL SIDING
Tundra Gray, paired with Trim
(Board & Batten Style)



TRIM & FASCIA
Snowscape White



J-BLOCK



JUMBO BLOCK



MINI-SPLIT



OUTSIDE CORNER

LAP SIDING

LP® SmartSide® Lap Siding

LAP THAT HOLDS UP AND STANDS OUT

- One of the most durable lap options on the market
- Available in a variety of widths and thicknesses
- All lap products are available in standard 16' length, helping minimize excess cuts to potentially reduce waste and speed up installation times
- 16' length may result in fewer seams than traditional 12' lap, providing a more polished aesthetic
- Complements other materials, such as brick, stone, and stucco
- APA-certified

Options



Options vary by product; see Specifications section for details

Cedar Texture



LP® SmartSide® ExpertFinish® Cedar Texture Lap in Garden Sage and Trim in Abyss Black



LP® SmartSide® ExpertFinish® Brushed Smooth Lap Joint Siding in Garden Sage

LP® SmartSide® ExpertFinish® lap joint siding features a proprietary joint designed to help speed installation by eliminating the need for caulk, joint molds, or pan flashing at butt joints.

NICKEL GAP SIDING

LP® SmartSide® Nickel Gap Siding

INNOVATIVE SIDING WITH MODERN APPEAL

- Features locking flanges with a fastener groove that hides nails
- Profile allows for "nickel-sized" horizontal spacing between boards, accommodating a gap range of 1/16" to 1/8" after installation
- Tongue-and-groove design allows for siding to be stacked and tapped into place
- Can be paired with LP® Nickel Gap Flashing
- Features include a nominal 1/2" thickness and 7" reveal



Options

Cedar
Texture

Brushed
Smooth

Primed

All
ExpertFinish®
Colors

Options vary by product; see Specifications section for details



Inset: LP® SmartSide® Brushed Smooth Nickel Gap Siding Below: LP® SmartSide® ExpertFinish® Brushed Smooth Nickel Gap Siding in Snowscape White

SHAKE LAP SIDING

LP® SmartSide® Shake Lap Siding

REVERSIBLE SHAKES WITH DESIGN FLEXIBILITY

- Use as accents, in gables, or as full siding
- Features a reversible design with staggered or straight edges
- Available in cedar texture or brushed smooth

Options

Cedar
Texture

Brushed
Smooth

Primed

ExpertFinish®
Colors

Options vary by product; see
Specifications section for details



NEW! Brushed Smooth Shake Lap

**Reversible staggered or straight edge
provides great design flexibility!**



LP® SmartSide® ExpertFinish® Cedar Texture Shake Lap (staggered), Trim & Fascia, and Lap in Abyss Black

CLOSED & VENTED SOFFIT

LP® SmartSide® Soffit

SOFFIT THAT'S BUILT FOR FORM & FUNCTION

- Provides a clean, refined aesthetic that helps boost curb appeal
- Coordinates beautifully with other LP® SmartSide® Trim & Siding products
- Available in a range of options to meet your vision and specifications, including:
 - Soffit Panels
 - No Groove Square Edge (NGSE) Dual Use Siding and Soffit Panels
 - Closed cut-to-width soffit
 - Vented cut-to-width soffit

Options



Options vary by product; see Specifications section for details

**Cut-to-width sizes
can help save time by
eliminating the need
to cut full sheets.**



LP® SmartSide® ExpertFinish® Vented and Closed Soffit, Trim, and Fascia in Abyss Black; Lap, Panel, and Trim in Snowscape White

PANEL & VERTICAL SIDING

LP® SmartSide® Panel & Vertical Siding

DURABLE AND EFFICIENT, FROM TOP TO BOTTOM

- Provides a premium look and is highly-versatile; can be used in residential, multifamily, and shed applications
- Available in a range of options to meet your vision and specifications
- Pair with LP® SmartSide® trim to create the timeless look of board and batten style siding

Options

Cedar
Texture

Brushed
Smooth

Primed

Select
ExpertFinish®
Colors

Options vary by product; see
Specifications section for details



LP® SmartSide® Panel, Trim, and Fascia in custom color

TRIM & FASCIA

LP® SmartSide® Trim & Fascia

SO MANY OPTIONS, SO MUCH STYLE

- Use for corners, windows, or door trims
- Versatile portfolio features classic cedar and brushed smooth textures, as well as a variety of widths and thicknesses for extensive design flexibility
- Can be used to add contrast, highlight architectural elements, or create custom accents
- Coordinates beautifully with other LP® SmartSide® products for a cohesive, polished aesthetic
- 16' length can result in faster installation and fewer seams

Options

Cedar
Texture

Brushed
Smooth

Primed

All
ExpertFinish®
Colors

Options vary by product; see
Specifications section for details



LP® SmartSide® ExpertFinish®
Brushed Smooth Trim in Cavern Steel

**From bold statements to subtle accents,
our trim and fascia can help bring your
design vision to life.**

Brushed Smooth



LP® SmartSide® ExpertFinish® Trim in Abyss Black; Lap in Cavern Steel



LP® SmartSide® ExpertFinish® Trim, Fascia, Lap, and Panel in Abyss Black

ACCESSORIES

LP® SmartSide® Outside Corners, J-Blocks, Jumbo Blocks, & Mini-Splits

TOUCHES THAT ADD STYLE AND EFFICIENCY

- One-piece Outside Corners arrive pre-formed and ready to install, eliminating the need to build corners on site
- J-Blocks, Jumbo Mounting Blocks, and Mini-Splits provide an attractive solution for mounting light fixtures, faucets, and other outdoor fixtures with ease; Mini-Splits can be separated for specific mount sizes
- Coordinates with LP® SmartSide® lap, panel, and vertical siding products for a cohesive, polished aesthetic

Options

Cedar
Texture

Brushed
Smooth

Primed

ExpertFinish®
Colors

Options vary by product; see
Specifications section for details

Outside Corner



J-Block



NEW! Jumbo Block



Mini-Split



Accessories are shown in LP® SmartSide® ExpertFinish® color Snowscape White



LP® SmartSide® ExpertFinish® J-Blocks, Lap, and Trim in Snowscape White



LP® SmartSide® ExpertFinish® NATURALS COLLECTION™ Nickel Gap Siding in Bonsai Black (wall and ceiling), Lap in Quarry Gray, and Trim in Midnight Shadow

LAP SIDING

Cedar Texture

Products:

LP® SmartSide® 38 Series Lap Siding

LP® SmartSide® ExpertFinish® 38 Series Lap Joint Siding

DESIGNED & RATED FOR EXTERIOR USE

May be attached direct to studs; see application instructions for fastening and installation requirements

APA-Certified Lap Siding



Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from responsibly sourced logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



Application Instructions:

LPCorp.com/Literature




Sustainability Info:

- ASTM-Verified Carbon Negative
- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



Primed Specifications and PIDs:

38 SERIES CEDAR TEXTURE LAP



PRODUCT	LENGTH	ACTUAL WIDTH	THICKNESS	MAX SPAN RATING	WEIGHT	PID
38 Series Cedar Texture Lap	16 ft. (192 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	25796
	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	25797
	16 ft. (192 in.) (4.9 m)	11.84 in. (301 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	25799

All graphics are for illustrative purposes only.

See LPCorp.com for product, warranty, and installation details. Metric units are rounded. PSF = Pounds Per Square Foot. Refer to limited warranty at LPCorp.com/literature for complete details, including important limitations and exclusions.

LAP SIDING

Brushed Smooth

Products:

LP® SmartSide® 38 Series Lap Siding

LP® SmartSide® ExpertFinish® 38 Series Lap Joint Siding

DESIGNED & RATED FOR EXTERIOR USE

May be attached direct to studs; see application instructions for fastening and installation requirements

APA-Certified Lap Siding



Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from responsibly sourced logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



Application Instructions:

LPCorp.com/Literature





Sustainability Info:

- ASTM-Verified Carbon Negative
- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



Primed Specifications and PIDs:

38 SERIES BRUSHED SMOOTH LAP



PRODUCT	LENGTH	ACTUAL WIDTH	THICKNESS	MAX SPAN RATING	WEIGHT	PID
38 Series Brushed Smooth Lap	16 ft. (192 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	45989
	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	45990
	16 ft. (192 in.) (4.9 m)	11.84 in. (301 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	45991

All graphics are for illustrative purposes only.

See LPCorp.com for product, warranty, and installation details. Metric units are rounded. PSF = Pounds Per Square Foot. Refer to limited warranty at LPCorp.com/literature for complete details, including important limitations and exclusions.

NICKEL GAP SIDING

Cedar Texture

Products:

LP® SmartSide® Nickel Gap Siding

LP® SmartSide® ExpertFinish® Nickel Gap Siding

DESIGNED & RATED FOR EXTERIOR USE

May be attached direct to studs; see application instructions for fastening and installation requirements

Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from responsibly sourced logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



Sustainability Info:

- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards




Additional Info:

- Tongue-and-groove design allows for siding to be stacked and tapped into place
- Features include a nominal 1/2" thickness and 7" reveal
- Can be installed vertically or horizontally
- Install with LP® Nickel Gap Flashing (100 pcs/box; only available in primed) or comparable alternative to support a complete system

Profile allows for "nickel-sized" horizontal spacing between boards, accommodating a gap range of 1/16" to 1/8" after installation.

Application Instructions:

LPCorp.com/Literature



LP® Nickel Gap Flashing

PRODUCT	LENGTH	ACTUAL WIDTH	THICKNESS	WEIGHT	PID
LP® Nickel Gap Flashing	10 in. (254 mm)	4 in. (101.6 mm)	0.024 in. (0.61 mm)	9.4 LBS 100 pcs/box	46180

All graphics are for illustrative purposes only.

See LPCorp.com for product, warranty, and installation details. Metric units are rounded.

Refer to limited warranty at LPCorp.com/literature for complete details, including important limitations and exclusions.

NICKEL GAP SIDING

Brushed Smooth

Product:

LP® SmartSide® ExpertFinish® Nickel Gap Siding

DESIGNED & RATED FOR EXTERIOR USE

May be attached direct to studs; see application instructions for fastening and installation requirements

Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from responsibly sourced logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



Sustainability Info:

- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



Summit Blue

Profile allows for "nickel-sized" horizontal spacing between boards, accommodating a gap range of 1/16" to 1/8" after installation.

Application Instructions:

LPCorp.com/Literature



Additional Info:

- Tongue-and-groove design allows for siding to be stacked and tapped into place
- Features include a nominal 1/2" thickness and 7" reveal
- Can be installed vertically or horizontally
- Install with LP® Nickel Gap Flashing (100 pcs/box; only available in primed) or comparable alternative to support a complete system

LP® Nickel Gap Flashing



PRODUCT	LENGTH	ACTUAL WIDTH	THICKNESS	WEIGHT	PID
LP® Nickel Gap Flashing	10 in. (254 mm)	4 in. (101.6 mm)	0.024 in. (0.61 mm)	9.4 LBS 100 pcs/box	46180

SHAKE LAP SIDING

Cedar Texture

Products:

LP® SmartSide® 38 Series Shakes

LP® SmartSide® ExpertFinish® 38 Series Shakes

DESIGNED & RATED FOR EXTERIOR USE

Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from responsibly sourced logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay




Sustainability Info:

- ASTM-Verified Carbon Negative
- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



38 SERIES CEDAR TEXTURE SHAKES



Reversible design allows for staggered or straight edge



Staggered



Straight

Application Instructions:

LPCorp.com/Literature



SHAKE LAP SIDING

Brushed Smooth

Product:

LP® SmartSide® 38 Series Shakes

DESIGNED & RATED FOR EXTERIOR USE

Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from responsibly sourced logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



NEW! Brushed Smooth
Shake Lap Siding

Reversible design allows for
staggered or straight edge

Sustainability Info:

Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



Staggered



Straight

Application Instructions:

LPCorp.com/Literature



CLOSED SOFFIT

Cedar Texture

Products:

LP® SmartSide® 38 Series 4' x 8' Soffit

LP® SmartSide® 38 Series No Groove Square Edge (NGSE)
Dual Use Siding and Soffit Panel

LP® SmartSide® 38 Series Cut-to-Width Soffit

LP® SmartSide® ExpertFinish® 38 Series Cut-to-Width Soffit

LP® SmartSide® ExpertFinish® 38 Series No Groove Square Edge (NGSE)
Dual Use Siding and Soffit Panel (see p. 66 for details)

DESIGNED & RATED FOR EXTERIOR USE

Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from responsibly sourced logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



Application Instructions:

LPCorp.com/Literature



Sustainability Info:

- ASTM-Verified Carbon Negative
- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



CLOSED SOFFIT

Brushed Smooth

Products:

LP® SmartSide® 38 Series No Groove Square Edge (NGSE)
Dual Use Siding and Soffit Panel

LP® SmartSide® 38 Series Cut-to-Width Soffit

LP® SmartSide® ExpertFinish® 38 Series Cut-to-Width Soffit

LP® SmartSide® ExpertFinish® 38 Series No Groove Square Edge (NGSE)
Dual Use Siding and Soffit Panel (see p. 69 for details)



DESIGNED & RATED FOR EXTERIOR USE

Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from responsibly sourced logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



Application Instructions:

LPCorp.com/Literature



Sustainability Info:

- ASTM-Verified Carbon Negative
- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



CLOSED SOFFIT

Cedar Texture

Product:

LP® SmartSide® 76 Series Closed Soffit

DESIGNED & RATED FOR EXTERIOR USE



Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from responsibly sourced logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



Application Instructions:

LP Corp.com/Literature


Sustainability Info:

- ASTM-Verified Carbon Negative
- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



Primed Specifications and PIDs:

76 SERIES 4' x 8' CEDAR TEXTURE SOFFIT



PRODUCT	LENGTH	ACTUAL WIDTH	THICKNESS	MAX SPAN RATING	PID
76 Series 4' x 8' Cedar Texture Soffit	8 ft. (96 in.) (2.4 m)	47.81 in. (1214 mm)	0.418 in. (10.6 mm)	24 in. o.c.	25814

VENTED SOFFIT

Cedar Texture

Products:

LP® SmartSide® 38 Series Vented Soffit

LP® SmartSide® ExpertFinish® 38 Series Vented Soffit

DESIGNED & RATED FOR EXTERIOR USE

Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from responsibly sourced logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



Application Instructions:

LPCorp.com/Literature



Sustainability Info:

- ASTM-Verified Carbon Negative
- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



VENTED SOFFIT

Brushed Smooth

Products:

LP® SmartSide® 38 Series Cut-to-Width Vented Soffit
LP® SmartSide® ExpertFinish® 38 Series Vented Soffit

DESIGNED & RATED FOR EXTERIOR USE



Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from responsibly sourced logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



Application Instructions:

LPCorp.com/Literature



Sustainability Info:

- ASTM-Verified Carbon Negative
- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



PANEL SIDING

Cedar Texture

Products:

- LP® SmartSide® 38 Series 8" o.c. Panel
- LP® SmartSide® 38 Series No Groove Shiplap Edge (NGSL) Panel
- LP® SmartSide® 38 Series No Groove Square Edge (NGSE)
Dual Use Siding and Soffit Panel
- LP® SmartSide® ExpertFinish® 38 Series No Groove Square Edge
(NGSE) Dual Use Siding and Soffit Panel (see p. 66 for details)

DESIGNED & RATED FOR EXTERIOR USE

May be attached direct to studs; see application instructions for fastening and installation requirements
No Groove panels can be installed vertically or horizontally; grooved panels are designed for vertical installation only
Rated for structural use by APA

Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from responsibly sourced logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



Sustainability Info:

- ASTM-Verified Carbon Negative
- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



Pair our No Groove Panels with
LP® SmartSide® trim for
board & batten style applications

Application Instructions:

LPCorp.com/Literature




PANEL SIDING

Cedar Texture

ExpertFinish® Color Specifications and PIDs:

38 SERIES CEDAR TEXTURE – NO GROOVE DUAL USE SIDING AND SOFFIT PANEL



Pair with LP® SmartSide®
trim for board & batten
style applications

PRODUCT	ACTUAL WIDTH	THICKNESS	MAX SPAN RATING	WEIGHT
38 Series Cedar Texture No Groove Square Edge (NGSE) Dual Use Siding and Soffit Panel* ★	47.81 in. (1214 mm)	0.354 in. (9 mm)	16 in. o.c. Siding 24 in. o.c. Soffit	1.5 PSF

COLOR	LENGTH	PID
Snowscape White	8 ft. (96 in.) (2.4 m)	47097
	10 ft. (120 in.) (3.0 m)	47082
Sand Dunes	8 ft. (96 in.) (2.4 m)	47098
	10 ft. (120 in.) (3.0 m)	47083
Desert Stone	8 ft. (96 in.) (2.4 m)	47099
	10 ft. (120 in.) (3.0 m)	47084
Quarry Gray	8 ft. (96 in.) (2.4 m)	47100
	10 ft. (120 in.) (3.0 m)	47085
Prairie Clay	8 ft. (96 in.) (2.4 m)	47101
	10 ft. (120 in.) (3.0 m)	47086
Terra Brown	8 ft. (96 in.) (2.4 m)	47102
	10 ft. (120 in.) (3.0 m)	47087
Harvest Honey	8 ft. (96 in.) (2.4 m)	47103
	10 ft. (120 in.) (3.0 m)	47088
Timberland Suede	8 ft. (96 in.) (2.4 m)	47104
	10 ft. (120 in.) (3.0 m)	47089

COLOR	LENGTH	PID
Garden Sage	8 ft. (96 in.) (2.4 m)	47105
	10 ft. (120 in.) (3.0 m)	47090
Redwood Red	8 ft. (96 in.) (2.4 m)	47106
	10 ft. (120 in.) (3.0 m)	47091
Tundra Gray	8 ft. (96 in.) (2.4 m)	47107
	10 ft. (120 in.) (3.0 m)	47092
Summit Blue	8 ft. (96 in.) (2.4 m)	47108
	10 ft. (120 in.) (3.0 m)	47093
Rapids Blue	8 ft. (96 in.) (2.4 m)	47109
	10 ft. (120 in.) (3.0 m)	47094
Cavern Steel	8 ft. (96 in.) (2.4 m)	47110
	10 ft. (120 in.) (3.0 m)	47095
Midnight Shadow	8 ft. (96 in.) (2.4 m)	47111
	10 ft. (120 in.) (3.0 m)	47096
Abyss Black	8 ft. (96 in.) (2.4 m)	47112
	10 ft. (120 in.) (3.0 m)	47081

★ Can be used in siding or soffit applications

*Coordinates with LP® SmartSide® Trim for board and batten style applications.

All graphics are for illustrative purposes only.

See LPCorp.com for product, warranty, and installation details. Metric units are rounded. PSF = Pounds Per Square Foot
All colors shown are representative and may not be an exact match..

PANEL SIDING

Brushed Smooth

Products:

- LP® SmartSide® 38 Series No Groove Square Edge (NGSE) Dual Use Siding and Soffit Panel
- LP® SmartSide® ExpertFinish® 38 Series No Groove Square Edge (NGSE) Dual Use Siding and Soffit Panel

DESIGNED & RATED FOR EXTERIOR USE

May be attached direct to studs; see application instructions for fastening and installation requirements
Can be installed vertically or horizontally
Rated for structural use by APA

Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from responsibly sourced logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



Sustainability Info:

- ASTM-Verified Carbon Negative
- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



Application Instructions:

LPCorp.com/Literature



Primed Specifications and PIDs:

38 SERIES BRUSHED SMOOTH DUAL USE SIDING AND SOFFIT PANEL



PRODUCT	LENGTH	ACTUAL WIDTH	THICKNESS	MAX SPAN RATING	WEIGHT	PID
38 Series Brushed Smooth No Groove Square Edge (NGSE) Dual Use Siding and Soffit Panel** ★	8 ft. (96 in.) (2.4 m)	47.81 in. (1214 mm)	0.354 in. (9 mm)	16 in. o.c. Siding 24 in. o.c. Soffit	1.5 PSF	46008*
	10 ft. (120 in.) (3.0 m)	47.81 in. (1214 mm)	0.354 in. (9 mm)	16 in. o.c. Siding 24 in. o.c. Soffit	1.5 PSF	46650*

★ Can be used in siding or soffit applications

*Special order item; Requires minimum quantity and extended lead times.

**Coordinates with LP® SmartSide® Trim for board and batten style applications.

All graphics are for illustrative purposes only.

See LPCorp.com for product, warranty, and installation details. Metric units are rounded. PSF = Pounds Per Square Foot
Refer to limited warranty at LPCorp.com/literature for complete details, including important limitations and exclusions.

PANEL SIDING

Cedar Texture

Products:

LP® SmartSide® 76 Series 8" o.c. Panel

LP® SmartSide® 76 Series No Groove Shiplap Edge Panel

DESIGNED & RATED FOR EXTERIOR USE

May be attached direct to studs; see application instructions for fastening and installation requirements

No Groove panels can be installed vertically or horizontally; grooved panels are designed for vertical installation only

Rated for structural use by APA

Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from responsibly sourced logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



Sustainability Info:

- ASTM-Verified Carbon Negative
- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



Pair our No Groove Panels with LP® SmartSide® trim for board & batten style applications

Application Instructions:

LPCorp.com/Literature



PANEL SIDING

Cedar Texture

Product:

LP® SmartSide® 190 Series Siding Panel

DESIGNED & RATED FOR EXTERIOR USE

May be attached direct to studs; see application instructions for fastening and installation requirements

Grooved panels are designed for vertical installation only

Rated for structural use by APA



Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from responsibly sourced logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



Application Instructions:

LPCorp.com/Literature



Sustainability Info:

- ASTM-Verified Carbon Negative
- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



VERTICAL SIDING

Cedar Texture

Products:

LP® SmartSide® 38 Series Vertical Siding

LP® SmartSide® ExpertFinish® 38 Series Vertical Siding

DESIGNED & RATED FOR EXTERIOR USE

Not rated for structural use. Sheathing-only attachment; see installation instructions for details*

Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from responsibly sourced logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



Sustainability Info:

- ASTM-Verified Carbon Negative
- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



Application Instructions:

LPCorp.com/Literature



Primed Specifications and PIDs:

38 SERIES CEDAR TEXTURE VERTICAL SIDING

PRODUCT	LENGTH	ACTUAL WIDTH	THICKNESS	WEIGHT	PID
38 Series Cedar Texture Vertical Siding	16 ft. (192 in.) (4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	1.5 PSF	40503

*Vertical Siding must be applied over a min. 7/16 Category Wood Structural Panel. See Technical Note #028.

All graphics are for illustrative purposes only.
See LPCorp.com for product, warranty, and installation details. Metric units are rounded. PSF = Pounds Per Square Foot
Refer to limited warranty at LPCorp.com/literature for complete details, including important limitations and exclusions.

VERTICAL SIDING

Brushed Smooth

Products:

LP® SmartSide® 38 Series Vertical Siding

LP® SmartSide® ExpertFinish® 38 Series Vertical Siding

DESIGNED & RATED FOR EXTERIOR USE

Not rated for structural use. Sheathing-only attachment; see installation instructions for details*

Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from responsibly sourced logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



Sustainability Info:

- ASTM-Verified Carbon Negative
- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



Application Instructions:

LPCorp.com/Literature



Primed Specifications and PIDs:

38 SERIES BRUSHED SMOOTH VERTICAL SIDING

		15.94 in. (405 mm)	0.354 in. (9 mm)	Brushed Smooth	Primed
PRODUCT	LENGTH	ACTUAL WIDTH	THICKNESS	WEIGHT	PID
38 Series Brushed Smooth Vertical Siding	16 ft. (192 in.) (4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	1.5 PSF	46007

*Vertical Siding must be applied over a min. 7/16 Category Wood Structural Panel. See Technical Note #028.

All graphics are for illustrative purposes only.
See LPCorp.com for product, warranty, and installation details. Metric units are rounded. PSF = Pounds Per Square Foot
Refer to limited warranty at LPCorp.com/literature for complete details, including important limitations and exclusions.

TRIM

Cedar Texture

Products:

LP® SmartSide® 190 Series Trim

LP® SmartSide® ExpertFinish® 190 Series Trim

DESIGNED & RATED FOR EXTERIOR USE



Cedar Texture

Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from responsibly sourced logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



Application Instructions:

LPCorp.com/Literature




Sustainability Info:

- ASTM-Verified Carbon Negative
- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



Primed Specifications and PIDs:

190 SERIES CEDAR TEXTURE TRIM



PRODUCT	LENGTH	ACTUAL WIDTH	THICKNESS	WEIGHT	PID
190 Series Cedar Texture Trim	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	28448
	16 ft. (192 in.) (4.9 m)	3.50 in. (89 mm)	0.578 in. (14.7 mm)	2 PSF	28450
	16 ft. (192 in.) (4.9 m)	5.50 in. (140 mm)	0.578 in. (14.7 mm)	2 PSF	28452

TRIM

Brushed Smooth

Products:

LP® SmartSide® 190 Series Trim

LP® SmartSide® ExpertFinish® 190 Series Trim

DESIGNED & RATED FOR EXTERIOR USE

Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from responsibly sourced logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



Brushed Smooth

Application Instructions:

LPCorp.com/Literature





Sustainability Info:

- ASTM-Verified Carbon Negative
- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



Primed Specifications and PIDs:

190 SERIES BRUSHED SMOOTH TRIM



PRODUCT	LENGTH	ACTUAL WIDTH	THICKNESS	WEIGHT	PID
190 Series Brushed Smooth Trim	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	48027

TRIM

Cedar Texture

Products:

LP® SmartSide® 440 Series Trim

LP® SmartSide® ExpertFinish® 440 Series Trim

DESIGNED & RATED FOR EXTERIOR USE

Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from responsibly sourced logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



Application Instructions:

LPCorp.com/Literature




Sustainability Info:

- ASTM-Verified Carbon Negative
- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



Primed Specifications and PIDs:

440 SERIES CEDAR TEXTURE TRIM



PRODUCT	LENGTH	ACTUAL WIDTH	THICKNESS	WEIGHT	PID
440 Series Cedar Texture Trim	16 ft. (192 in.) (4.9 m)	1.50 in. (38 mm)	0.675 in. (17.1 mm)	2 PSF	25877
	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.675 in. (17.1 mm)	2 PSF	25878
	16 ft. (192 in.) (4.9 m)	3.50 in. (89 mm)	0.675 in. (17.1 mm)	2 PSF	25880
	16 ft. (192 in.) (4.9 m)	5.50 in. (140 mm)	0.675 in. (17.1 mm)	2 PSF	25882
	16 ft. (192 in.) (4.9 m)	7.21 in. (183 mm)	0.675 in. (17.1 mm)	2 PSF	25883
	16 ft. (192 in.) (4.9 m)	9.21 in. (234 mm)	0.675 in. (17.1 mm)	2 PSF	25884
	16 ft. (192 in.) (4.9 m)	11.21 in. (285 mm)	0.675 in. (17.1 mm)	2 PSF	25885

All graphics are for illustrative purposes only.

See LPCorp.com for product, warranty, and installation details. Metric units are rounded. PSF = Pounds Per Square Foot. Refer to limited warranty at LPCorp.com/literature for complete details, including important limitations and exclusions.

TRIM

Brushed Smooth

Products:

LP® SmartSide® 440 Series Trim

LP® SmartSide® ExpertFinish® 440 Series Trim

DESIGNED & RATED FOR EXTERIOR USE

Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from responsibly sourced logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



Application Instructions:

LP Corp.com/Literature




Sustainability Info:

- ASTM-Verified Carbon Negative
- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



Primed Specifications and PIDs:

440 SERIES BRUSHED SMOOTH TRIM



PRODUCT	LENGTH	ACTUAL WIDTH	THICKNESS	WEIGHT	PID
440 Series Brushed Smooth Trim	16 ft. (192 in.) (4.9 m)	1.50 in. (38 mm)	0.675 in. (17.1 mm)	2 PSF	46012
	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.675 in. (17.1 mm)	2 PSF	45999
	16 ft. (192 in.) (4.9 m)	3.50 in. (89 mm)	0.675 in. (17.1 mm)	2 PSF	46000
	16 ft. (192 in.) (4.9 m)	5.50 in. (140 mm)	0.675 in. (17.1 mm)	2 PSF	46001
	16 ft. (192 in.) (4.9 m)	7.21 in. (183 mm)	0.675 in. (17.1 mm)	2 PSF	46002
	16 ft. (192 in.) (4.9 m)	9.21 in. (234 mm)	0.675 in. (17.1 mm)	2 PSF	46003
	16 ft. (192 in.) (4.9 m)	11.21 in. (285 mm)	0.675 in. (17.1 mm)	2 PSF	46004

All graphics are for illustrative purposes only.

See LP Corp.com for product, warranty, and installation details. Metric units are rounded. PSF = Pounds Per Square Foot. Refer to limited warranty at LP Corp.com/literature for complete details, including important limitations and exclusions.

TRIM

Cedar Texture



Cedar Texture

Products:

- LP® SmartSide® 540 Series Trim
- LP® SmartSide® ExpertFinish® 540 Series Trim

DESIGNED & RATED FOR EXTERIOR USE

Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from responsibly sourced logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



Application Instructions:

LP Corp.com/Literature




Sustainability Info:

- ASTM-Verified Carbon Negative
- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



Primed Specifications and PIDs:

540 SERIES CEDAR TEXTURE TRIM



PRODUCT	LENGTH	ACTUAL WIDTH	THICKNESS	WEIGHT	PID
540 Series Cedar Texture Trim	16 ft. (192 in.) (4.9 m)	1.50 in. (38 mm)	0.970 in. (24.6 mm)	3 PSF	25886*
	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.970 in. (24.6 mm)	3 PSF	25887*
	16 ft. (192 in.) (4.9 m)	3.50 in. (89 mm)	0.970 in. (24.6 mm)	3 PSF	25888
	16 ft. (192 in.) (4.9 m)	5.50 in. (140 mm)	0.970 in. (24.6 mm)	3 PSF	25890
	16 ft. (192 in.) (4.9 m)	7.21 in. (183 mm)	0.970 in. (24.6 mm)	3 PSF	25891
	16 ft. (192 in.) (4.9 m)	9.21 in. (234 mm)	0.970 in. (24.6 mm)	3 PSF	25892
	16 ft. (192 in.) (4.9 m)	11.21 in. (285 mm)	0.970 in. (24.6 mm)	3 PSF	25893

*Special order item; Requires minimum quantity and extended lead times.

All graphics are for illustrative purposes only.
See LPCorp.com for product, warranty, and installation details. Metric units are rounded. PSF = Pounds Per Square Foot
Refer to limited warranty at LPCorp.com/literature for complete details, including important limitations and exclusions.

TRIM

Brushed Smooth

Products:

LP® SmartSide® 540 Series Trim

LP® SmartSide® ExpertFinish® 540 Series Trim

DESIGNED & RATED FOR EXTERIOR USE

Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from responsibly sourced logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



Application Instructions:

LP Corp.com/Literature





Sustainability Info:

- ASTM-Verified Carbon Negative
- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



Primed Specifications and PIDs:

540 SERIES BRUSHED SMOOTH TRIM



PRODUCT	LENGTH	ACTUAL WIDTH	THICKNESS	WEIGHT	PID
540 Series Brushed Smooth Trim	16 ft. (192 in.) (4.9 m)	1.50 in. (38 mm)	0.970 in. (24.6 mm)	3 PSF	46011
	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.970 in. (24.6 mm)	3 PSF	46010
	16 ft. (192 in.) (4.9 m)	3.50 in. (89 mm)	0.970 in. (24.6 mm)	3 PSF	45992
	16 ft. (192 in.) (4.9 m)	5.50 in. (140 mm)	0.970 in. (24.6 mm)	3 PSF	45993
	16 ft. (192 in.) (4.9 m)	7.21 in. (183 mm)	0.970 in. (24.6 mm)	3 PSF	45995
	16 ft. (192 in.) (4.9 m)	9.21 in. (234 mm)	0.970 in. (24.6 mm)	3 PSF	45997
	16 ft. (192 in.) (4.9 m)	11.21 in. (285 mm)	0.970 in. (24.6 mm)	3 PSF	45998

OUTSIDE CORNER

Cedar Texture

Product:

LP® SmartSide® ExpertFinish® 540 Series Outside Corner

DESIGNED & RATED FOR EXTERIOR USE

Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from responsibly sourced logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



Sustainability Info:

Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



Accessories Warranty:

5/10-Year Limited Warranty



Outside Corner
in Summit Blue

Application Instructions:

LPCorp.com/Literature



OUTSIDE CORNER

Brushed Smooth

Product:

LP® SmartSide® ExpertFinish® 540 Series Outside Corner

DESIGNED & RATED FOR EXTERIOR USE

Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from responsibly sourced logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



Sustainability Info:

- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



Accessories Warranty:


5/10-Year Limited Warranty



Outside Corner
in Summit Blue

Application Instructions:

LPCorp.com/Literature



J-BLOCK & MINI-SPLIT

Cedar Texture

Products:

- LP® SmartSide® J-Block
- LP® SmartSide® Mini-Split
- LP® SmartSide® ExpertFinish® J-Block
- LP® SmartSide® ExpertFinish® Mini-Split

DESIGNED & RATED FOR EXTERIOR USE

Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from responsibly sourced logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



Sustainability Info:

- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



J-Block & Mini-Split - Cedar Texture

Primed:

7.25" x 7.25" J-Block
7.25" x 6.75" Mini Split



Cedar Texture
J-Block



Cedar Texture
Mini-Split

Application Instructions:

LPCorp.com/Literature



Accessories Warranty:

5/10-Year Limited Warranty



Primed Specifications and PIDs:



PRODUCT	HEIGHT	WIDTH	THICKNESS	PID
Cedar Texture J-Block	7.25 in. (184 mm)	7.25 in. (184 mm)	0.970 in. (24.6 mm)	43509
Cedar Texture Mini-Split	7.25 in. (184 mm)	6.75 in. (171 mm)	0.970 in. (24.6 mm)	43510

JUMBO BLOCK

Cedar Texture

Product:

LP® SmartSide® ExpertFinish® Jumbo Block

DESIGNED & RATED FOR EXTERIOR USE

Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from responsibly sourced logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



Sustainability Info:

- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



Accessories Warranty:

5/10-Year Limited Warranty



NEW!

Cedar Texture Jumbo Block



Application Instructions:

LPCorp.com/Literature



J-BLOCK & MINI-SPLIT

Brushed Smooth

Products:

LP® SmartSide® ExpertFinish® J-Block
LP® SmartSide® ExpertFinish® Mini-Split

DESIGNED & RATED FOR EXTERIOR USE

Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from responsibly sourced logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



Sustainability Info:

- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



Accessories Warranty:

5/10-Year Limited Warranty



Brushed Smooth
J-Block in
Summit Blue



Brushed Smooth
Mini-Split in
Summit Blue

Application Instructions:

LPCorp.com/Literature



JUMBO BLOCK

Brushed Smooth

Product:

LP® SmartSide® ExpertFinish® Jumbo Block

DESIGNED & RATED FOR EXTERIOR USE

Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from responsibly sourced logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



Sustainability Info:

Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



Accessories Warranty:

5/10-Year Limited Warranty



NEW!


**Brushed Smooth
Jumbo Block**



Brushed Smooth Jumbo Block
in Snowscape White

**Application
Instructions:**

LPCorp.com/Literature



UNIT SIZES



PRODUCT	CEDAR TEXTURE UNIT SIZE	BRUSHED SMOOTH UNIT SIZE
38 Series Lap 3/8" x 6" x 16'	360 pcs.	360 pcs.
38 Series Lap 3/8" x 8" x 16'	270 pcs.	270 pcs.
38 Series Lap 3/8" x 12" x 16'	180 pcs.	180 pcs.
440 Series Trim 3/4" x 2" x 16'	384 pcs.	384 pcs.
440 Series Trim 3/4" x 3" x 16'	216 pcs.	216 pcs.
440 Series Trim 3/4" x 4" x 16'	350 pcs.	350 pcs.
440 Series Trim 3/4" x 6" x 16'	192 pcs.	192 pcs.
440 Series Trim 3/4" x 8" x 16'	144 pcs.	144 pcs.
440 Series Trim 3/4" x 10" x 16'	120 pcs.	120 pcs.
440 Series Trim 3/4" x 12" x 16'	96 pcs.	96 pcs.
540 Series Trim 1" x 2" x 16'	256 pcs.	256 pcs.
540 Series Trim 1" x 3" x 16'	162 pcs.	162 pcs.
540 Series Trim 1" x 4" x 16'	252 pcs.	252 pcs.
540 Series Trim 1" x 6" x 16'	144 pcs.	144 pcs.
540 Series Trim 1" x 8" x 16'	108 pcs.	108 pcs.
540 Series Trim 1" x 10" x 16'	90 pcs.	90 pcs.
540 Series Trim 1" x 12" x 16'	72 pcs.	72 pcs.
190 Series Trim 19/32" x 3" x 16'	270 pcs.	270 pcs.
190 Series Trim 19/32" x 4" x 16'	420 pcs.	-
190 Series Trim 19/32" x 6" x 16'	240 pcs.	-
38 Series Panel 3/8" x 4' x 6' (8" o.c.)	90 pcs.	-
38 Series Panel 3/8" x 4' x 7' (8" o.c.)	90 pcs.	-
38 Series Panel 3/8" x 4' x 8' (8" o.c.)	90 pcs.	-
38 Series Panel 3/8" x 4' x 9' (8" o.c.)	90 pcs.	-
38 Series Panel 3/8" x 4' x 10' (8" o.c.)	90 pcs.	-
38 Series Panel 3/8" x 4' x 12' (8" o.c.)	90 pcs.	-
38 Series Panel 3/8" x 4' x 8' (NGSL)	90 pcs.	-
38 Series Panel 3/8" x 4' x 8' (NGSE Dual Use Siding & Soffit)	90 pcs.	45 pcs.
38 Series Panel 3/8" x 4' x 9' (NGSL)	90 pcs.	-
38 Series Panel 3/8" x 4' x 10' (NGSL)	90 pcs.	-
38 Series Panel 3/8" x 4' x 10' (NGSE Dual Use Siding & Soffit)	90 pcs.	45 pcs.

PRODUCT	CEDAR TEXTURE UNIT SIZE	BRUSHED SMOOTH UNIT SIZE
76 Series Panel 7/16" x 4' x 8' (8" o.c.)	80 pcs.	-
76 Series Panel 7/16" x 4' x 9' (8" o.c.)	80 pcs.	-
76 Series Panel 7/16" x 4' x 10' (8" o.c.)	80 pcs.	-
76 Series Panel 7/16" x 4' x 8' (NGSL)	80 pcs.	-
76 Series Panel 7/16" x 4' x 9' (NGSL)	80 pcs.	-
76 Series Panel 7/16" x 4' x 10' (NGSL)	80 pcs.	-
190 Series Panel 19/32" x 4' x 8' (8" o.c.)	60 pcs.	-
38 Series Soffit Panel 3/8" x 4' x 8'	90 pcs.	-
76 Series Soffit Panel 7/16" x 4' x 8'	80 pcs.	-
190 Series Soffit Panel 19/32" x 4' x 8'	60 pcs.	-
38 Series Soffit 3/8" x 12" x 16' Vented	180 pcs.	180 pcs.
38 Series Soffit 3/8" x 12" x 16' Closed	180 pcs.	180 pcs.
38 Series Soffit 3/8" x 16" x 16' Vented	135 pcs.	135 pcs.
38 Series Soffit 3/8" x 16" x 16' Closed	135 pcs.	135 pcs.
38 Series Soffit 3/8" x 24" x 16' Vented	90 pcs.	90 pcs.
38 Series Soffit 3/8" x 24" x 16' Closed	90 pcs.	90 pcs.
38 Series Vertical Siding 3/8" x 16" x 16'	135 pcs.	135 pcs.
Nickel Gap Siding 1/2" x 8" x 16'	180 pcs.	-
38 Series Shake Lap Siding 3/8" x 12" x 48"	400 pcs.	400 pcs.
540 Series J-Blocks 1" x 7.25" x 7.25"		
540 Series Mini-Splits 1" x 7.25" x 6.75"		
540 Series Jumbo Blocks 1" x 10" x 11.25"		

LAP SIDING

Coverage Chart All Textures & Colors

Lap Siding 16' Length Area (sq. ft.)	Reveal (size)		
	4-7/8" (6")	6-7/8" (8")	10-7/8" (12")
100	16 pcs.	11 pcs.	7 pcs.
200	31 pcs.	22 pcs.	14 pcs.
300	47 pcs.	33 pcs.	21 pcs.
400	62 pcs.	44 pcs.	28 pcs.
500	77 pcs.	55 pcs.	35 pcs.
600	93 pcs.	66 pcs.	42 pcs.
700	108 pcs.	77 pcs.	49 pcs.
800	124 pcs.	88 pcs.	56 pcs.
900	139 pcs.	99 pcs.	63 pcs.
1000	154 pcs.	110 pcs.	69 pcs.
1500	231 pcs.	164 pcs.	104 pcs.
2000	308 pcs.	219 pcs.	138 pcs.
2500	385 pcs.	273 pcs.	173 pcs.
3000	462 pcs.	328 pcs.	207 pcs.
3500	539 pcs.	382 pcs.	242 pcs.
4000	616 pcs.	437 pcs.	276 pcs.
4500	693 pcs.	491 pcs.	311 pcs.
5000	770 pcs.	546 pcs.	345 pcs.

Disclaimer: The above chart does not account for waste factors. Remember to include your expected jobsite waste. It is up to the purchaser to determine the appropriate waste factor to add to the material estimate. LP takes no responsibility for estimates, including overages or shortages of material based on the above coverage chart.



SHAKES

Coverage Chart All Textures & Colors

Shake Lap Siding 4' Length	Reveal (size)	
Area (sq. ft.)	7" (12")	10" (12")
100	44 pcs.	31 pcs.
200	88 pcs.	61 pcs.
300	131 pcs.	92 pcs.
400	175 pcs.	122 pcs.
500	219 pcs.	152 pcs.
600	262 pcs.	183 pcs.
700	306 pcs.	213 pcs.
800	350 pcs.	244 pcs.
900	393 pcs.	274 pcs.
1000	437 pcs.	304 pcs.
1500	655 pcs.	456 pcs.
2000	873 pcs.	608 pcs.
2500	1091 pcs.	760 pcs.
3000	1310 pcs.	912 pcs.
3500	1528 pcs.	1064 pcs.
4000	1746 pcs.	1216 pcs.
4500	1964 pcs.	1368 pcs.
5000	2182 pcs.	1519 pcs.

Disclaimer: The above chart does not account for waste factors. Remember to include your expected jobsite waste. It is up to the purchaser to determine the appropriate waste factor to add to the material estimate. LP takes no responsibility for estimates, including overages or shortages of material based on the above coverage chart.



VERTICAL SIDING

Coverage Chart All Textures & Colors

Vertical Siding	Reveal (size)
Area (sq. ft.)	15-15/16" (16")
100	5 pcs.
200	10 pcs.
300	15 pcs.
400	19 pcs.
500	24 pcs.
600	29 pcs.
700	33 pcs.
800	38 pcs.
900	43 pcs.
1000	48 pcs.
1500	71 pcs.
2000	95 pcs.
2500	118 pcs.
3000	142 pcs.
3500	165 pcs.
4000	189 pcs.
4500	212 pcs.
5000	236 pcs.

Disclaimer: The above chart does not account for waste factors. Remember to include your expected jobsite waste. It is up to the purchaser to determine the appropriate waste factor to add to the material estimate. LP takes no responsibility for estimates, including overages or shortages of material based on the above coverage chart.



NOTES

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

SIDING WITH A FAST INSTALL AND LONG WARRANTY.

THAT'S SMART.

LP® SmartSide®
5/50 YEAR
PRORATED
LIMITED
WARRANTY

LP® SmartSide® ExpertFinish®
5/15/50 YEAR
PRORATED
LIMITED
WARRANTY



For more information, visit
LPCorp.com/SmartSide



@LP_Profs



LP Building Solutions
for Professionals



LP Building Solutions

⚠ WARNING: Drilling, sawing, sanding or machining wood products can expose you to wood dust, a substance known to the State of California to cause cancer. Avoid inhaling wood dust or use a dust mask or other safeguards for personal protection. For more information go to www.P65Warnings.ca.gov/wood.

© 2026 Louisiana-Pacific Corporation. Sustainable Forestry Initiative, SFI, and associated logo are registered trademarks of Sustainable Forestry Initiative, Inc. LEED is a registered trademark of the U.S. Green Building Council. WELL BUILDING STANDARD is a registered trademark of the International Well Building Institute. The National Green Building Standard is a registered trademark of the National Association of Home Builders of the United States.

Refer to limited warranty at LPCorp.com/literature for complete details, including important limitations and exclusions. Specifications subject to change without notice.

LPZB0946 5/26